

## Response to EPA Conditional Approval Letter for Jorgensen Forge EAA and Revised Final Design Replacement Pages

Delete Reply Reply all Forward

RB

Ryan Barth <rbarth@anchoragea.com>

Mark as unread

Tue 7/2/2013 5:51 PM

Show all 12 recipients

To: Chu Rebecca;

Cc: ☐ Gil Leon <gleon@emjmetals.com>; ☐ sbozic@jorgensenforge.com;  
☐ William Joyce (wjjoyce@jzplaw.com); ☐ Ian Sutton (isutton@jzplaw.com); ☐ valerie.lee@attorneyslee.com;  
☐ brent.finley@attorneyslee.com; ☐ Hoffman, Erika; ...

You forwarded this message on 7/23/2013 11:29 AM

Jorgensen EAA BODR R...  
3 MB

Jorgensen EAA\_Final BO...  
2 MB

Ap  
49.1

6 attachments (8 MB) Download all Save all to OneDrive — Environmental Protection Agency (EPA)

Becky –

Attached for EPA review and approval please find Earle M. Jorgensen and Jorgensen Forge Corporation's responses to EPA's letter dated April 24, 2013 regarding "Conditional Approval Subject to Modifications of the Final Basis of Design Report, Jorgensen Forge Early Action Area, March 2013, Administrative Order on Consent, U.S. EPA Docket No. CERCLA 10-2013-0032". Following receipt of this letter, EPA requested additional information regarding the potential use of chemical flocculants in the sediment haul barge water treatment system. This additional information is provided as Attachment A and Attachment B to the response letter.

Also attached please find the requested modifications to the Final Basis of Design Report and associated appendices. Due to the limited number of revisions, we have attached replacement pages for each of the documents that were modified rather than the entire documents. The response letter clearly identifies the modifications made on each provided replacement page.

Please let me know if you have any questions during your review of these documents. Regards.

**Ryan Barth, P.E.**

Anchor QEA, LLC

[rbarth@anchoragea.com](mailto:rbarth@anchoragea.com)

720 Olive Way, Suite 1900

Seattle, Washington 98101

Office: 206.287.9130

Direct: 206.903.3334

Fax: 206.287.9131

Cell: 206.719.3605 